# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| | | US?6101557?A.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/07/25 15:08 |
| | | US?6101557?A.did. | US-PGPUB | OR | OFF | 2006/07/25 15:08 |
| | | us?2002?0178317.did. | US-PGPUB | OR | OFF | 2006/07/25 15:07 |
| | | 20020178317a1 | US-PGPUB | OR | OFF | 2006/07/25 14:51 |
| | | 20020178317a1 | US-PGPUB | OR | OFF | 2006/07/25 14:47 |
| | | S37 and not semi?conductor$ | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 13:35 |
| | | S30 with ((hid$3 discard$4 re?negotiat$4 mask$4 conceal$4 cloak$4 pretend$4 fall?back$4 ) with (function ability charateristic effect operation property command facility capability operability)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 12:18 |
| | | S15 near50 usb | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 12:48 |
| | | S15 same usb | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 12:48 |
| | | S15 same usb | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 12:48 |
| S1 | 3302 | 710/8,10,13,14,17,62,72-74.ccls. | USPAT | OR | OFF | 2006/07/20 11:00 |
| S2 | 4273 | 710/8,10,13,14,17,62,72-74.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 11:01 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S3 | 3274 | S1 and (@ad<="20050113" or @rlad<="20050113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 11:02 |
| S4 | 3274 | S1 and (@ad<="20050113" or @rlad<="20050113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 11:03 |
| S5 | 653 | S3 and ((host computer pc pda laptop server master) with (peripheral i?o auxil?ary client slave) with (negotiat$5 configur$5 initializ$5 hand?shak$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 11:06 |
| S6 | 1150 | S3 and ((host computer pc pda laptop server master) same (peripheral i?o auxil?ary client slave) same (negotiat$5 configur$5 initializ$5 hand?shak$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 11:07 |
| S7 | 2154 | S3 and ((host computer pc pda laptop server master device) same (peripheral i?o auxil?ary client slave device) same (negotiat$5 configur$5 initializ$5 hand?shak$5 start?up set?up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 11:34 |
| S8 | 528 | S7 and ((hid$3 discard$4 remove$4 eliminat$4 re?negotiat$4 mask$4 conceal$4 cloak$4 pretend$4 fall?back$4 ) with (function ability charateristic effect operation property command facility capability operability)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 11:36 |
| S9 | 3302 | 710/8,10,13,14,17,62,72-74.ccls. | USPAT | OR | OFF | 2006/07/20 11:34 |
| S10 | 3274 | S9 and (@ad<="20050113" or @rlad<="20050113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 11:34 |
| S11 | 1796 | S10 and ((host computer pc pda laptop server master device) with (peripheral i?o auxil?ary client slave device) with (negotiat$5 configur$5 initializ$5 hand?shak$5 start?up set?up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 11:34 |

| S12 | 3302 | 710/8,10,13,14,17,62,72-74.ccls. | USPAT | OR | OFF | 2006/07/20 12:43 |
|-----|------|----------------------------------|-------|-----|-----|------------------|
| S13 | 3274 | S12 and (@ad<="20050113" or @rlad<="20050113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 15:48 |
| S14 | 1796 | S13 and ((host computer pc pda laptop server master device) with (peripheral i?o auxil?ary client slave device) with (negotiat$5 configur$5 initializ$5 hand?shak$5 start?up set?up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 15:49 |
| S15 | 448 | S14 and ((hid$3 discard$4 remove$4 eliminat$4 re?negotiat$4 mask$4 conceal$4 cloak$4 pretend$4 fall?back$4 ) with (function ability charateristic effect operation property command facility capability operability)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 15:50 |
| S16 | 67 | S15 and usb | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 15:51 |
| S17 | 381 | S15 not S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 14:00 |
| S18 | 3274 | S13 and (@ad<="20050113" or @rlad<="20050113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 15:48 |
| S19 | 4273 | 710/8,10,13,14,17,62,72-74.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 15:48 |
| S20 | 4149 | S19 and (@ad<="20050113" or @rlad<="20050113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 15:48 |

| S21 | 2272 | S20 and ((host computer pc pda laptop server master device) with (peripheral i?o auxil?ary client slave device) with (negotiat$5 configur$5 initializ$5 hand?shak$5 start?up set?up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 09:56 |
|---|---|---|---|---|---|---|
| S22 | 542 | S21 and ((hid$3 discard$4 remove$4 eliminat$4 re?negotiat$4 mask$4 conceal$4 cloak$4 pretend$4 fall?back$4 ) with (function ability charateristic effect operation property command facility capability operability)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 09:58 |
| S23 | 105 | S22 and usb | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/20 15:51 |
| S24 | 4273 | 710/8,10,13,14,17,62,72-74.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 09:56 |
| S25 | 4149 | S24 and (@ad<="20050113" or @rlad<="20050113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 11:32 |
| S26 | 2209 | S25 and ((host master device) with (peripheral i?o auxil?ary client slave device) with (negotiat$5 configur$5 initializ$5 hand?shak$5 start?up set?up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 11:33 |
| S27 | 533 | S26 and ((hid$3 discard$4 remove$4 eliminat$4 re?negotiat$4 mask$4 conceal$4 cloak$4 pretend$4 fall?back$4 ) with (function ability charateristic effect operation property command facility capability operability)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 10:00 |
| S28 | 177 | S26 and ((hid$3 discard$4 re?negotiat$4 mask$4 conceal$4 cloak$4 pretend$4 fall?back$4 ) with (function ability charateristic effect operation property command facility capability operability)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 11:36 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S29 | 26635644 | (@ad<="20050113" or @rlad<="20050113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 11:33 |
| S30 | 418971 | S29 and ((host master device) with (peripheral i?o auxil?ary client slave device) with (negotiat$5 configur$5 initializ$5 hand?shak$5 start?up set?up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 12:18 |
| S31 | 17879 | S30 and ((hid$3 discard$4 re?negotiat$4 mask$4 conceal$4 cloak$4 pretend$4 fall?back$4 ) with (function ability charateristic effect operation property command facility capability operability)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 12:18 |
| S32 | 18 | S31 and communciat$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 11:38 |
| S33 | 11365 | S31 and communicat$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 11:39 |
| S34 | 518 | S29 and ((host master device) with (peripheral i?o auxil?ary client slave device) with (negotiat$5 configur$5 initializ$5 hand?shak$5 start?up set?up) with ((hid$3 discard$4 re?negotiat$4 mask$4 conceal$4 cloak$4 pretend$4 fall?back$4 ) with (function ability charateristic effect operation property command facility capability operability))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 13:18 |
| S35 | 2272 | S25 and ((host computer pc pda laptop server master device) with (peripheral i?o auxil?ary client slave device) with (negotiat$5 configur$5 initializ$5 hand?shak$5 start?up set?up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 13:19 |

# EAST Search History

| S36 | 542 | S35 and ((hid$3 discard$4 remove$4 eliminat$4 re?negotiat$4 mask$4 conceal$4 cloak$4 pretend$4 fall?back$4 ) with (function ability charateristic effect operation property command facility capability operability)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 13:19 |
|-----|-----|---|---|---|---|---|
| S37 | 497 | S34 not S36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 13:34 |
| S38 | 484 | S37 not semi?conductor$ | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/24 13:35 |
| S39 | 1 | "6101557".pn. | USPAT | OR | OFF | 2006/07/25 14:46 |
| S40 | 1 | "20010027500".did. | US-PGPUB; USPAT | OR | OFF | 2006/07/31 15:52 |